

NETWORK PUBLICATIONS

- Afonina et al. (2020). Environmental features and dynamics of plankton communities in a mountain glacial moraine lake (Baikal lake basin, Russia). *Nature Conservation Research* 5(3): 23–36 (DOI: [10.24189/ncr.2020.025](https://doi.org/10.24189/ncr.2020.025))
- Ai et al. (2020). Distribution patterns and drivers of artificial soil bacterial community on cut-slopes in alpine mountain area of southwest China. *CATENA* 194: 104695 (DOI: [10.1016/j.catena.2020.104695](https://doi.org/10.1016/j.catena.2020.104695))
- Amidzic et al. (2020). Vegetation overview of meadows and pastures of north-west Šar-Planina Mountain (Serbia). *Vegetos* 33: 239-246 (DOI: [10.1007/s42535-020-00101-0](https://doi.org/10.1007/s42535-020-00101-0))
- Barros et al. (2020). Going off trails: How dispersed visitor use affects alpine vegetation. *Journal of Environmental Management* 267: 110546 (DOI: [10.1016/j.jenvman.2020.110546](https://doi.org/10.1016/j.jenvman.2020.110546))
- Bian et al. (2020). Global high-resolution mountain green cover index mapping based on Landsat images and Google Earth Engine. *ISPRS Journal of Photogrammetry and Remote Sensing* 162: 63-76 (DOI: [10.1016/j.isprsjprs.2020.02.011](https://doi.org/10.1016/j.isprsjprs.2020.02.011))
- Bonanomi et al. (2020). Climatic and anthropogenic factors explain the variability of *Fagus sylvatica* treeline elevation in fifteen mountain groups across the Apennines. *Forest Ecosystems* 7(5): 1937-1958 (DOI: [10.1186/s40663-020-0217-8](https://doi.org/10.1186/s40663-020-0217-8))
- Cabrera et al. (2020). Functional diversity changes after selective thinning in a tropical mountain forest in Southern Ecuador. *Diversity* 12(6): 256 (DOI: [10.3390/d12060256](https://doi.org/10.3390/d12060256))
- Canedoli et al. (2020). Evaluation of ecosystem services in a protected mountain area: soil organic carbon stock and biodiversity in alpine forests and grasslands. *Ecosystem Services* 44: 101135 (DOI: [10.1016/j.ecoser.2020.101135](https://doi.org/10.1016/j.ecoser.2020.101135))
- Canella et al. (2020). Benefits of conservation-driven mowing for the EU policy species *Gladiolus palustris* Gaudin in mountain fen meadows: a case-study in the European Alps. *Journal of Mountain Science* 17: 2097-2107 (DOI: [10.1007/s11629-019-5781-4](https://doi.org/10.1007/s11629-019-5781-4))
- Carlson et al. (2020). Monitoring the seasonal hydrology of alpine wetlands in response to snow cover dynamics and summer climate: a novel approach with Sentinel-2. *Remote Sensing* 12(12): 1959 (DOI: [10.3390/rs12121959](https://doi.org/10.3390/rs12121959))
- Certner et al. (2020). Massive introgression weakens boundaries between a regionally endemic allopolyploid and a widespread congener. *Perspectives in Plant Ecology, Evolution and Systematics* 42: 125502 (DOI: [10.1016/j.ppees.2019.125502](https://doi.org/10.1016/j.ppees.2019.125502))
- Chen et al. (2020). Red list of China's forest ecosystems: A conservation assessment and protected area gap analysis. *Biological Conservation* 248: 108636 (DOI: [10.1016/j.biocon.2020.108636](https://doi.org/10.1016/j.biocon.2020.108636))
- Chen et al. (2020). Phylotranscriptomics reveals extensive gene duplication in the subtribe Gentianinae (Gentianaceae). *Journal of Systematics and Evolution* (DOI: [10.1111/jse.12651](https://doi.org/10.1111/jse.12651))
- Clark et al. (2020). The Afromontane Research Unit: reaching for new heights. *Mountain Research and Development* 39(4): P1-P5 (DOI: [10.1659/MRD-JOURNAL-D-20-00006.1](https://doi.org/10.1659/MRD-JOURNAL-D-20-00006.1))
- Costa et al. (2020). The first botanical explorations of bryophyte diversity in the Brazilian Amazon mountains: high species diversity, low endemism, and low similarity. *Biodiversity Conservation* 29: 2663–2688 (DOI: [10.1007/s10531-020-01993-9](https://doi.org/10.1007/s10531-020-01993-9))
- Covaciu-Marcov et al. (2020). Herpetofauna diversity in the middle of the Southern Carpathians: data from a recent survey (2016–2018) in Cozia National Park (Romania). *Eco.Mont* (DOI: [10.1553/eco.mont-12-2s11](https://doi.org/10.1553/eco.mont-12-2s11))
- Cotado and Munné-Bosch (2020). Plasticity in the growth habit prolongs survival at no physiological cost in a monocarpic perennial at high altitudes. *Annals of Botany* 12(3): 413-421 (DOI: [10.1093/aob/mcz202](https://doi.org/10.1093/aob/mcz202))
- Czarniecka-Wiera et al. (2020). Understanding the importance of spatial scale in the patterns of grassland invasions. *Science of The Total Environment* 727: 138669 (DOI: [10.1016/j.scitotenv.2020.138669](https://doi.org/10.1016/j.scitotenv.2020.138669))
- Deng et al. (2020). Ancient orogenic and monsoon-driven assembly of the world's richest temperate alpine flora. *Science* 369(6503): 578-581 (DOI: [10.1126/science.abb4484](https://doi.org/10.1126/science.abb4484))
- Devi et al. (2020). Climate change evidence in tree growth and stand productivity at the upper treeline ecotone in the Polar Ural Mountains. *Forest Ecosystems* 7(7) (DOI: [10.1186/s40663-020-0216-9](https://doi.org/10.1186/s40663-020-0216-9))
- Dingkuhn et al. (2020). A multi-method approach for the integrative assessment of soil functions: application on a coastal mountainous site of the Philippines. *Journal of Environmental Management* 264: 110461 (DOI: [10.1016/j.jenvman.2020.110461](https://doi.org/10.1016/j.jenvman.2020.110461))
- Durán-Romero et al. (2020). Uncoupled phytoplankton-bacterioplankton relationship by multiple drivers interacting at different temporal scales in a high-mountain Mediterranean lake. *Scientific Reports* 10: 350 (DOI: [10.1038/s41598-019-57269-y](https://doi.org/10.1038/s41598-019-57269-y))

- Ewing et al. (2020). Clinging on to alpine life: Investigating factors driving the uphill range contraction and population decline of a mountain breeding bird. *Global Change Biology* 26(7): 3771-3778 (DOI: [10.1111/gcb.15064](https://doi.org/10.1111/gcb.15064))
- Flantua et al. (2020). Snapshot isolation and isolation history challenge the analogy between mountains and islands used to understand endemism. *Global Ecology and Biogeography* (DOI: [10.1111/geb.13155](https://doi.org/10.1111/geb.13155))
- Fontana et al. (2020). Species richness and beta diversity patterns of multiple taxa along an elevational gradient in pastured grasslands in the European Alps. *Scientific Reports* 10: 12516 (DOI: [10.1038/s41598-020-69569-9](https://doi.org/10.1038/s41598-020-69569-9))
- Francon et al. (2020). Some (do not) like it hot: shrub growth is hampered by heat and drought at the alpine treeline in recent decades. *American Journal of Botany* 107(4): 607-617 (DOI: [10.1002/ajb2.1459](https://doi.org/10.1002/ajb2.1459))
- Gentili et al. (2020). Glacier shrinkage and slope processes create habitat at high elevation and microrefugia across treeline for alpine plants during warm stages. *CATENA* 193: 104626 (DOI: [10.1016/j.catena.2020.104626](https://doi.org/10.1016/j.catena.2020.104626))
- Górski et al. (2020). Snow as a parameter of bryophyte niche partitioning in snow-beds of the Tatra Mountains (Western Carpathians). *Ecological Indicators* 113: 106258 (DOI: [10.1016/j.ecolind.2020.106258](https://doi.org/10.1016/j.ecolind.2020.106258))
- Guillerme et al. (2020). Evolution of traditional agroforestry landscapes and development of invasive species: lessons from the Pyrenees (France). *Sustainability Science* 15: 1285-1299 (DOI: [10.1007/s11625-020-00847-1](https://doi.org/10.1007/s11625-020-00847-1))
- Hamid et al. (2020). Early evidence of shifts in alpine summit vegetation: a case study from Kashmir Himalaya. *Frontiers in Plant Sciences* 11: 421 (DOI: [10.3389/fpls.2020.00421](https://doi.org/10.3389/fpls.2020.00421))
- Herrando-Moraira et al. (2020). Generic boundaries in subtribe Saussureinae (Compositae: Cardueae): Insights from Hyb-Seq data. *Taxon* (DOI: [10.1002/tax.12314](https://doi.org/10.1002/tax.12314))
- Hu et al. (2020). Contrasting floristic diversity of the Hengduan Mountains, the Himalayas and the Qinghai-Tibet Plateau sensu stricto in China. *Frontiers in Ecology and Evolution* (DOI: [10.3389/fevo.2020.00136](https://doi.org/10.3389/fevo.2020.00136))
- Hülber et al. (2020). Habitat availability disproportionately amplifies climate change risks for lowland compared to alpine species. *Global Ecology and Conservation* 23: e01113 (DOI: [10.1016/j.gecco.2020.e01113](https://doi.org/10.1016/j.gecco.2020.e01113))
- Khan et al. (2020). Biodiversity conservation in the Hindu Kush-Karakoram-Himalayan mountain region of northern Pakistan: Overview of big mammal protection. *Journal of Mountain Science* 17: 1360-1373 (DOI: [10.1007/s11629-018-5113-0](https://doi.org/10.1007/s11629-018-5113-0))
- Kukula and Bylak (2020). Synergistic impacts of sediment generation and hydrotechnical structures related to forestry on stream fish communities. *Science of The Total Environment* 737: 139751 (DOI: [10.1016/j.scitotenv.2020.139751](https://doi.org/10.1016/j.scitotenv.2020.139751))
- Kühn et al. (2020). Contrasting patterns of intra-specific trait variability in native and non-native plant species along an elevational gradient on Tenerife, Canary Islands. *Annals of Botany*: mcaa067 (DOI: [10.1093/aob/mcaa067](https://doi.org/10.1093/aob/mcaa067))
- Laiolo et al. 2020. Evolutionary conservation of within-family biodiversity patterns. *Nature Communications* 11: 882 (DOI: [10.1038/s41467-020-14720-3](https://doi.org/10.1038/s41467-020-14720-3))
- Ledesma et al. (2020). Arthropod biodiversity patterns point to the Mesovoid Shallow Substratum (MSS) as a climate refugium. *Zoology* 141: 125771 (DOI: [10.1016/j.zool.2020.125771](https://doi.org/10.1016/j.zool.2020.125771))
- Lett et al. (2020). Mosses modify effects of warmer and wetter conditions on tree seedlings at the alpine treeline. *Global Change Biology* (DOI: [10.1111/gcb.15256](https://doi.org/10.1111/gcb.15256))
- Liu et al. (2020). Variation patterns of plant composition/diversity in *Dacrydium pectinatum* communities and their driving factors in a biodiversity hotspot on Hainan Island, China. *Global Ecology and Conservation* 22: e01034 (DOI: [10.1016/j.gecco.2020.e01034](https://doi.org/10.1016/j.gecco.2020.e01034))
- Lovari et al. (2020). Climatic changes and the fate of mountain herbivores. *Climate Change* (DOI: [10.1007/s10584-020-02801-7](https://doi.org/10.1007/s10584-020-02801-7))
- Lozano et al. (2020). Plant diversity and composition changes along an altitudinal gradient in the isolated volcano Sumaco in the Ecuadorian Amazon. *Diversity* 12(6): 229 (DOI: [10.3390/d12060229](https://doi.org/10.3390/d12060229))
- Maicher et al. (2020). Seasonal shifts of biodiversity patterns and species' elevation ranges of butterflies and moths along a complete rainforest elevational gradient on Mount Cameroon. *Journal of Biogeography* 47(2): 342-354 (DOI: [10.1111/jbi.13740](https://doi.org/10.1111/jbi.13740))
- Malizia et al. (2020). Elevation and latitude drives structure and tree species composition in Andean forests: Results from a large-scale plot network. *PlosOne* (DOI: [10.1371/journal.pone.0231553](https://doi.org/10.1371/journal.pone.0231553))
- Martinez-Almoyna et al. (2020). Climate, soil resources and microbial activity shape the distributions of mountain plants based on their functional traits. *Ecography* (DOI: [10.1111/ecog.05269](https://doi.org/10.1111/ecog.05269))
- Matysek et al. (2020). The importance of habitat diversity and plant species richness for hazel grouse occurrence in the mixed mountain forests of the Western Carpathians. *European Journal of Forest Research* (DOI: [10.1007/s10342-020-01307-2](https://doi.org/10.1007/s10342-020-01307-2))

- Muhlfield et al. (2020). Specialized meltwater biodiversity persists despite widespread deglaciation. *Proceedings of the National Academy of Sciences of the United States of America* 117(22): 12208-12214 (DOI: [10.1073/pnas.2001697117](https://doi.org/10.1073/pnas.2001697117))
- Notarnicola (2020). Hotspots of snow cover changes in global mountain regions over 2000–2018. *Remote Sensing of Environment* 243: 111781 (DOI: [10.1016/j.rse.2020.111781](https://doi.org/10.1016/j.rse.2020.111781))
- Nowak et al. (2020). Red List of vascular plants of Tajikistan – the core area of the Mountains of Central Asia global biodiversity hotspot. *Scientific Reports* 10: 6235 (DOI: [10.1038/s41598-020-63333-9](https://doi.org/10.1038/s41598-020-63333-9))
- Päckert et al. (2020). “Into and Out of” the Qinghai-Tibet Plateau and the Himalayas: centers of origin and diversification across five clades of Eurasian montane and alpine passerine birds. *Ecology and Evolution* 10(17): 9283-9300 (DOI: [10.1002/ece3.6615](https://doi.org/10.1002/ece3.6615))
- Peixoto et al. (2020). Biogeographic tools help to assess the effectiveness of protected areas for the conservation of anurans in the Mantiqueira mountain range, Southeastern Brazil. *Journal for Nature Conservation* 54: 125799 (DOI: [10.1016/j.jnc.2020.125799](https://doi.org/10.1016/j.jnc.2020.125799))
- Pezzi et al. (2020). Contrasting patterns of tree features, lichen, and plant diversity in managed and abandoned old-growth chestnut orchards of the northern Apennines (Italy). *Forest Ecology and Management* 470-471: 118207 (DOI: [10.1016/j.foreco.2020.118207](https://doi.org/10.1016/j.foreco.2020.118207))
- Pretzsch et al. (2020). Evidence of elevation-specific growth changes of spruce, fir, and beech in European mixed-mountain forests during the last three centuries. *Canadian Journal of Forest Research* 50(7): 689-703 (DOI: [10.1139/cjfr-2019-0368](https://doi.org/10.1139/cjfr-2019-0368)).
- Roach et al. (2020). Land cover drives amphibian diversity across steep elevational gradients in an isolated neotropical mountain range: Implications for community conservation. *Global Ecology and Conservation* 22: e00986 (DOI: [10.1016/j.gecco.2020.e00986](https://doi.org/10.1016/j.gecco.2020.e00986))
- Rodríguez-Morata et al. (2020). Climate impacts on tree growth in a Neotropical high mountain forest of the Peruvian Andes. *iForest - Biogeosciences and Forestry* 13(3): 194-201 (DOI: [10.3832/ifer3124-013](https://doi.org/10.3832/ifer3124-013))
- Sainge et al. (2020). Tree diversity patterns, above-ground biomass and carbon assessment along elevational gradient in a tropical forest of the Cameroon volcanic line. *Pakistan Journal of Botany* 52(6) (DOI: [10.30848/PJB2020-6\(39\)](https://doi.org/10.30848/PJB2020-6(39)))
- Shen et al. (2020). Contrasting patterns and drivers of soil bacterial and fungal diversity across a mountain gradient. *Environmental Microbiology* 22(8): 3287-3301 (DOI: [10.1111/1462-2920.15090](https://doi.org/10.1111/1462-2920.15090))
- Scheibler et al. (2020). Seasonal influence and local factors affecting macroinvertebrate structure in a high-altitude Andean stream. *Journal of Mountain Science* 17: 1374–1386 (DOI: [10.1007/s11629-019-5813-0](https://doi.org/10.1007/s11629-019-5813-0))
- Scherrer et al. (2020). Competition and demography rather than dispersal limitation slow down upward shifts of trees' upper elevation limits in the Alps. *Journal of Ecology* (DOI: [10.1111/1365-2745.13451](https://doi.org/10.1111/1365-2745.13451))
- Simon et al. (2020). A framework for the predictive mapping of forest soil properties in mountain areas. *Geoderma* 371: 114383 (DOI: [10.1016/j.geoderma.2020.114383](https://doi.org/10.1016/j.geoderma.2020.114383))
- Sokolowska et al. (2020). Succession from meadow to mature forest: Impacts on soil biological, chemical and physical properties—Evidence from the Pieniny Mountains, Poland. *CATENA* 189: 104503 (DOI: [10.1016/j.catena.2020.104503](https://doi.org/10.1016/j.catena.2020.104503))
- Steinbauer et al. (2020). Dieback and expansions: species-specific responses during 20 years of amplified warming in the high Alps. *Alpine Botany* 130: 1-11 (DOI: [10.1007/s00035-019-00230-6](https://doi.org/10.1007/s00035-019-00230-6))
- Steinwandter and Seeber (2020). The buffet is open: Alpine soil macro-decomposers feed on a wide range of litter types in a microcosm cafeteria experiment. *Soil Biology and Biochemistry* 144: 107786 (DOI: [10.1016/j.soilbio.2020.107786](https://doi.org/10.1016/j.soilbio.2020.107786))
- Storz et al., (2020). Discovery of the world's highest-dwelling mammal. *Proceedings of the National Academy of Sciences of the United States of America* 117(31): 18169-18171 (DOI: [10.1073/pnas.2005265117](https://doi.org/10.1073/pnas.2005265117))
- Telleria (2020). Long-term altitudinal change in bird richness in a Mediterranean mountain range: habitat shifts explain the trends. *Regional Environmental Change* 20: 69 (DOI: [10.1007/s10113-020-01657-y](https://doi.org/10.1007/s10113-020-01657-y))
- Thom et al. (2020). Climatic dynamics and topography control genetic variation in Atlantic Forest montane birds. *Molecular Phylogenetics and Evolution* 148: 106812 (DOI: [10.1016/j.ympev.2020.106812](https://doi.org/10.1016/j.ympev.2020.106812))
- Thorn et al. (2020). Indigenous uses of wild and tended plant biodiversity maintain ecosystem services in agricultural landscapes of the Terai Plains of Nepal. *Journal of Ethnobiology and Ethnomedicine* 16(33): R13-R21 (DOI: [10.1186/s13002-020-00382-4](https://doi.org/10.1186/s13002-020-00382-4))
- Timberlake et al. (2020). Mountains of the mist: a first plant checklist for the Bvumba Mountains, Manica Highlands (Zimbabwe-Mozambique). *PhytoKeys* 145: 93-129 (DOI: [10.3897/phytokeys.145.49257](https://doi.org/10.3897/phytokeys.145.49257))
- Tito et al. (2020). Mountain ecosystems as natural laboratories for climate change experiments. *Frontiers in Forest and Global Change* (DOI: [10.3389/ffgc.2020.00038](https://doi.org/10.3389/ffgc.2020.00038))
- Trant et al. (2020). A century of high elevation ecosystem change in the Canadian Rocky Mountains. *Scientific Reports* 10: 9698 (DOI: [10.1038/s41598-020-66277-2](https://doi.org/10.1038/s41598-020-66277-2))

- Tsai et al. (2020). Locally-adapted reproductive photoperiodism determines population vulnerability to climate change in burying beetles. *Nature Communications* 11: 1398 (DOI: [10.1038/s41467-020-15208-w](https://doi.org/10.1038/s41467-020-15208-w))
- Turturenaeu et al. (2020). Biogeography of intraspecific trait variability in matgrass (*Nardus stricta*): high phenotypic variation at the local scale exceeds large scale variability patterns. *Perspectives in Plant Ecology, Evolution and Systematics* (DOI: [10.1016/j.ppees.2020.125555](https://doi.org/10.1016/j.ppees.2020.125555))
- Vanicka et al. (2020). Interventions have limited effects on the population dynamics of *Ips typographus* and its natural enemies in the Western Carpathians (Central Europe). *Forest Ecology and Management* 470-471: 118209 (DOI: [10.1016/j.foreco.2020.118209](https://doi.org/10.1016/j.foreco.2020.118209))
- Verrall and Pickering (2020). Alpine vegetation in the context of climate change: A global review of past research and future directions. *Science of The Total Environment* 748: 141344 (DOI: [10.1016/j.scitotenv.2020.141344](https://doi.org/10.1016/j.scitotenv.2020.141344))
- Viterbi et al. (2020). Effects of temperature rise on multi-taxa distributions in mountain ecosystems. *Diversity* 12(6): 210 (DOI: [10.3390/d12060210](https://doi.org/10.3390/d12060210))
- Wei et al. (2020). Spatial detection of alpine treeline ecotones in the Western United States. *Journal of Remote Sensing of Environment* 240: 111672 (DOI: [10.1016/j.rse.2020.111672](https://doi.org/10.1016/j.rse.2020.111672))
- Xi et al. (2020). Land surface phenology and greenness in Alpine grasslands driven by seasonal snow and meteorological factors. *Science of The Total Environment* 725: 138380 (DOI: [10.1016/j.scitotenv.2020.138380](https://doi.org/10.1016/j.scitotenv.2020.138380))
- Xu et al. (2020). Biodiversity associations of soil fauna and plants depend on plant life form and are accounted for by rare taxa along an elevational gradient. *Soil Biology and Biochemistry* 140: 107640 (DOI: [10.1016/j.soilbio.2019.107640](https://doi.org/10.1016/j.soilbio.2019.107640))
- Yu et al. (2020). Response of multiple mountain ecosystem services on environmental gradients: How to respond, and where should be priority conservation? *Journal of Cleaner Production* 278: 123264 (DOI: [10.1016/j.jclepro.2020.123264](https://doi.org/10.1016/j.jclepro.2020.123264))
- Zhang et al. (2020). Comparative evaluation of VIIRS daily snow cover product with MODIS for snow detection in China based on ground observations. *Science of The Total Environment* 724: 138156 (DOI: [10.1016/j.scitotenv.2020.138156](https://doi.org/10.1016/j.scitotenv.2020.138156))
- Zhang et al. (2020). Automatic classification of fine-scale mountain vegetation based on mountain altitudinal belt. *PlosOne* (DOI: [10.1371/journal.pone.0238165](https://doi.org/10.1371/journal.pone.0238165))